# COVID REPORT #17

**FEBRUARY 7, 2022** 

Contents: Data from 2/3 & 1/27

	Slide(s)
Message (Status: Sick & tired of Covid-19!)	2
Vaccine, masking, & test kit information	3 & 4
<b>Emergency Orders: Workplace Safety</b>	5
Adams: Case numbers, age cohorts	6
Public Health Institute Dashboard	7
Berkshire County municipalities	8 & 9
State, county, Adams since 8/15/21	10 & 11
MA case trends from January 2020	12
Adams's vaccination status (past 2 weeks)	13
Recent CDC publication (See #16 for earlie	r) <b>14</b>
Community comments (see Report #16)	

Bottom line: The situation appears to be improving but please keep on keepin' on a bit longer.

Next report expected February 14 (Monday schedule)

# WEEKLY MESSAGE

Assuredly, we're all sick & tired of Covid-19! How long will we have to put up with this? Will it ever end?

We don't have a crystal ball, but it's plausible that we'll see the same abatement as last summer. We're looking forward to the day when we can stop hounding you all & get on with other business. And that Fall 2022 will be normal (if we can remember "normal")!

Metrics: We'll look for Adams to go down to fewer than 10 new cases per week & to come off CDC's "high-transmission" list for a couple weeks. Keep posted!

#### MEANWHILE, PLEASE CONTINUE TO:

- Mask indoors; observe social distancing; avoid large indoor gatherings.
- Get vaccinated & boosted! (See next slide for information.)
- Look for our new sign around town.



Based on the peer-reviewed scientific literature, the Adams Board of Health:

- Highly recommends that ALL eligible people be vaccinated & boosted;
- Strongly supports public masking for ALL people, vaccinated or not;
- Supports any establishment choosing to mandate indoor masking;
- Supports masking for school children
   at-risk populations.

February 2, 2022



# VACCINE INFORMATION

Current recommendations are for all individuals 5 years & over to be vaccinated against the Covid-19 coronavirus (unless there is a medical contraindication). Preference is for a 2-dose mRNA vaccine (Pfizer/BioNTech or Moderna), but the single dose J&J is also acceptable. Pfizer is authorized for all age groups, the other 2 for 18+. From Medicare, 1/10/22: Everyone 18+ should get a booster 2 months after their J&J vaccine, or 5 months after completing their primary mRNA vaccine series. Youth ages 12 to 17 should also get a booster of Pfizer-BioNTech 5 months after their primary series.

Adams Vaccination Status: Slide #13 shows our vaccination status by age group. Our rate of boosting has slowed: we're a little over 1 out of 3 (37%). As I said last week, we have a ways to go.

**Vaccination & Omicron:** We've known for a while that vaxed individuals are susceptible, but that the infection is much milder. Importantly, vaccination protects one from hospitalization & death. Boosting confers an even greater protection. See Report #16 for recent CDC studies.

#### **VACCINATION OPTIONS:**

- Local vaccination resources & scheduling: <u>https://getvaccinatedberkshires.org/</u> (None are currently scheduled; check back periodically.) <u>https://home.color.com/vaccine/register/berkshire</u> (Search for other options)
- Statewide: <a href="https://vaxfinder.mass.gov/">https://vaxfinder.mass.gov/</a>
- Community Health Programs Mobile Unit (offers both testing and/or vaccinations)
   https://www.chpberkshires.org/mobile/
   (Van schedule)
   Telephone: 1-413-528-0457 (Note: appointments are now required for the Mobile Unit)
- Berkshire Health Systems: Schedule via the Patient Portal or call the Hotline 1-855-262-5465.
- Vaccines are also available at local pharmacies. Contact yours for an appointment.

## Mask & Test Kit Information

"Omicron" masks: Public health experts advise that tight-fitting, non-cloth masks (N95 or KN95; 95% filtration) provide much better protection against infection than cloth masks for both wearers & those around them. This is because it takes many fewer Omicron virus particles to mount an infection than earlier variants. However, it may be difficult to obtain N95 or KN95 masks. Local medical supply houses can't get KN95s. While available on the internet, it can be difficult to assure that a particular brand is legitimate & meets specifications. Look for "NIOSH Approved," as listed on the CDC site below.

#### **MORE INFORMATION ON MASKING:**

- Fitting: Mask should be tight & collapse slightly when inhaling
- Also acceptable: KF94 ("Korean filter") gives 94% filtration
- Go to CDC (cdc.gov/coronavirus) & click under "Testing & Masks"
- If you haven't already, get your free N95 masks from your local pharmacy.

#### **MORE INFORMATION ON TEST KITS:**

- Current studies show that the at-home antigen test kits provide the most reliable indication of infectiousness.
- If you haven't already, order your test kits from: <u>https://www.covidtests.gov/</u> or Call 1-800-232-0233 (TTY 1-888-720-7489)

# **WORKPLACE SAFETY STANDARDS**

The impetus for issuing the Emergency Orders on Workplace Safety Standards for Local Businesses & Enterprises (including Special Public Events & "Clubs") was the recent uptick in Covid-19 cases in town. Data in this Report provide ample evidence that Covid is still with us & surging again. The Delta variant's high transmission rate has led to this resurgence despite our relatively high vaccination rate here & statewide. Recently added Slide 10 shows case counts since January 2020. Please note: (i) we are about where we were 1 year ago & (ii) we're just entering winter, when Covid peaked to its highest levels last year.

During the state emergency, Covid cases were to be reported to the Board of Health. That mandate ended last May, when the emergency was lifted. To control virus spread, we need to reestablish this measure to assist us with tracing contacts as quickly as possible. Thus, the emergency order creates 2 mandates: (i) reporting & (ii) suspension of operations & cleaning following an exposure. The 1<sup>st</sup> mandate helps us & the 2<sup>nd</sup> is the sensible response. The remaining requests in the orders amount to strong encouragement to comply with the best practices for stopping the spread of Covid-19.

#### **IMPORTANT NOTES:**

- Privacy: Confidentiality will be maintained. Personal information will only be known to the Board of Health & our health agents (Code Enforcement & Public Health Nurse).
- We will only use provided information to ascertain the source of an infection or to alert potential contacts so they may take necessary measures (e.g., testing, quarantine, etc.).
- An employer will **not** be held accountable if an employee fails to report his/her positive test.
- Finally, the Board of Health has the authority to issue such emergency orders without hearing public comment (see MA code & statute cited in the order). The rationale is that time may be of the essence. The board has the responsibility to weigh benefits & burdens in protecting public health with such an order. However, we are still subject review via appeal (noted in the order).

Adams Data as of 2/4/22 (from MAVEN*)					
	Date Range	Days	Cases		
	July	31	16		
Previous case	August	31	71		
numbers	Sep 1 - Sep 28	28	25		
	Sep 23 - Oct 12	20	36		
	Oct 13 - Oct 28	14	63		
	Oct 29 - Nov 4	7	10		
(Note the different	Nov 5 - Nov 11	7	19		
time spans)	Nov 12 - Nov 18	7	27		
	Nov 19 - Nov 25	7	51		
	Nov 26 - Dec 2	7	63		
Accumative total	Dec 3 - Dec 9	7	58		
1,371 cases = 16.7%	Dec 10 - Dec 16	7	16		
(Adams pop = 8,227)	Dec 17 - Dec 24	8	24		
	Dec 25 - Dec 31	7	67		
	Jan 1 - Jan 7	7	97		
	Jan 8 <i>-</i> Jan 14	7	103		
	Jan 15 - Jan 21	7	73		
	Jan 22 - Jan 28	7	66		
Current cases	Jan 29 - Feb 4	7	84		
Current rate	12 new ca	ses/day			
_	<5		10		
Current cases by	5-20	14			
age cohort	21-40	30			
	>40		30		
Vax status: 38 were listed as vaccinated (51% of those eligible)					

#### **Public Health Institute of Western Massachusetts**

publichealthwm.org/covid-19/data/Berkshire


Based on best available data as of 1/4/22

**Berkshire County COVID-19 Data** 

Western Mass COVID-19 County Data Dashboard Current 2-Week Period: Jan 16-Jan 29, 2022 Prior 2-Week Period: Jan 9-Jan 22, 2022


#### **CASES**

# Confirmed Cases (current 2 week period) 2,634 Prior 2-week period: 3,413 Cumulative Confirmed Cases: 20,827



#### **TESTS**





#### DEATHS

Deaths (current 2 week period)

**19** 

Cumulative Confirmed & Probable Deaths: 381

Symbols indicate change when compared to prior two-week period. For New Cases, Incidence per 100,000, and Total Tests: Higher (upward arrow) means the number in the current two-week period is higher than the prior period. Lower (downward arrow) means the number in the current two-week period is lower than prior two-week period. No change (equal sign) means the number in the current two-week period is the same as the prior period. For Percent Positivity: less than 0.10% difference in the percent positivity is considered No change (equal sign).

Data sources: MDPH, 2/3 and 1/27 COVID-19 Weekly Public Health Report Raw Data & COVID-19 Daily Dashboard <a href="https://www.mass.gov/info-details/covid-19-response-reporting">https://www.mass.gov/info-details/covid-19-response-reporting</a>,




Note that most panels also list data for previous week.


Cumulative deaths = 381 (1 per 339 persons in the county\*)

\*April 2020 population = 129,026 per US Census data (calculation revised 1/14/2021)

#### 2/3/22 data: 14-day case counts (Jan 16 – Jan 29, 2022)



#### 1/27/22 data: 14-day case counts (Jan 9 – Jan 22, 2022)




Case Counts (total per 2 weeks shown)					
Date range*	MA	County	Adams		
8/15-8/28	19,049	380	46		
8/29-9/11	22,489	350	23		
9/12-9/25	22,175	326	14		
9/26-10/9	18,528	309	25		
10/10-10/23	17,081	441	59		
10/24-11/6	17,738	579	43		
11/7-11/20	29,741	781	68		
11/21-12/4	46,475	1,063	129		
12/5-12/18	65,835	951	50		
12/26-1/8	260,623	3,200	190		
1/2-1/15	271,940	3,969	243		
1/9-1/22	181,290	3,413	207		
1/16-1/29	107,769	2,634	159		

<sup>\*</sup>Note that every other previous 2-week ranges are shown in earlier data.

14-Day Average Daily Incidence Rate (per 100,000)						
Date range*	MA	County	Adams			
8/15-8/28	19.5	21.5	39.9			
8/29-9/11	23.1	19.8	20.0			
9/12-9/25	22.7	18.4	12.2			
9/26-10/9	19.0	17.5	21.7			
10/10-10/23	17.5	24.9	51.2			
10/24-11/6	18.2	32.7	37.3			
11/7-11/20	30.5	44.1	59.0			
11/21-12/4	47.7	60.1	112			
12/5-12/18	67.5	53.7	43.4			
12/26-1/8	267.3	180.8	165.0			
1/2-1/15	278.9	224.3	211.0			
1/9-1/22	185.9	192.9	179.7			
1/16-1/29	110.5	148.8	138.0			

<sup>\*</sup>Note that every other previous 2-week ranges are shown in earlier data.

### Massachusetts Covid-19 Cases over Time



MA totals (confirmed + probable): Cases = 1,625,704 (23.3%); Deaths = 22,316 (0.32%, about 1/313) Notes: 1) MA pop = 6.98M; 2) Some people may have had 2+ cases, so percentage may be lower; 3) You can only die once.

2/1	<mark>/22</mark>
-----	------------------

Ages	Pop	Per capita	Fully vaxed	% of Age	% of Town	Boosted	% of Age	% of Town
5-11 Yr	573	<b>7</b> %	214	37%	4%	-	0%	0%
12-15 Yr	328	4%	230	70%	4%	35	11%	1%
16-19 Yr	329	4%	250	76%	4%	90	27%	3%
20-29 Yr	1,068	13%	657	62%	11%	220	21%	7%
30-49 Yr	1,941	24%	1,357	70%	23%	606	31%	20%
50-64 Yr	1,885	23%	1,481	79%	25%	855	45%	28%
65-74 Yr	1,014	12%	920	91%	16%	673	66%	22%
75+ Yr	775	9%	717	92%	12%	533	69%	18%
Total	8,227	100%	5,826	71%	100%	3,012	37%	100%
<b>/D</b> 4	4	1 0/2/22)	( 00)			( 400)		

(Data posted 2/3/22)

(+33)

(+133)

1/	<b>26/</b>	<b>22</b>

Ages	Рор	Per capita	Fully vaxed	d % of Age	% of Town	Boosted	% of Age	% of Town
5-11 Yr	573	7%	199	35%	3%	-	0%	0%
12-15 Yr	328	4%	229	70%	4%	28	9%	1%
16-19 Yr	329	4%	247	75%	4%	80	24%	3%
20-29 Yr	1,068	13%	650	61%	11%	202	19%	7%
30-49 Yr	1,941	24%	1,354	70%	23%	570	29%	20%
50-64 Yr	1,885	23%	1,476	78%	25%	808	43%	28%
65-74 Yr	1,014	12%	921	91%	16%	665	66%	23%
75+ Yr	775	9%	717	92%	12%	526	68%	18%
Total	8,227	100%	5,793	70%	100%	2,879	35%	100%

(Data posted 1/27/22)

Morbidity & Mortality Weekly Report (MMWR); Kristin L. Andrejko et al. (https://www.cdc.gov/mmwr/)

# Effectiveness of Face Mask or Respirator Use in Indoor Public Settings for Prevention of SARS-CoV-2 Infection — California, February-December 2021

Early Release / February 4, 2022 / 71

#### Summary

#### What is already known about this topic?

Face masks or respirators (N95/KN95s) effectively filter virus-sized particles in laboratory settings. The real-world effectiveness of face coverings to prevent acquisition of SARS-CoV-2 infection has not been widely studied.

#### What is added by this report?

Consistent use of a face mask or respirator in indoor public settings was associated with lower odds of a positive SARS-CoV-2 test result (adjusted odds ratio = 0.44). Use of respirators with higher filtration capacity was associated with the most protection, compared with no mask use.

#### What are the implications for public health practice?

In addition to being up to date with recommended COVID-19 vaccinations, consistently wearing a comfortable, well-fitting face mask or respirator in indoor public settings protects against acquisition of SARS-CoV-2 infection; a respirator offers the best protection.

# **ADDITIONAL INFORMATION**

The following material from the CDC (<a href="https://www.cdc.gov/coronavirus/">https://www.cdc.gov/coronavirus/</a>): Click on "Quarantine & Isolation" link for all the details.

#### RECOMMENDATIONS / GUIDELINES:

- Quarantine: Quarantine if you have been in close contact (within 6 feet of someone for a cumulative total of 15 minutes or more over a 24-hour period) with someone who has COVID-19, unless you have been fully vaccinated. People who are fully vaccinated do NOT need to quarantine after contact with someone who had COVID-19 unless they have symptoms. However, fully vaccinated people should get tested 5-7 days after their exposure, even if they don't have symptoms and wear a mask indoors in public for 14 days following exposure or until their test result is negative.
- Isolation (for individuals positive for Covid-19): People who are in isolation should stay home until it's safe for them to be around others. At home, anyone sick or infected should separate from others, stay in a specific "sick room" or area, and use a separate bathroom (if available). To calculate your 10 full day isolation period, day 0 is your first day of symptoms. Day 1 is the first full day after your symptoms developed. If you test positive for COVID-19 and never develop symptoms, day 0 is the day of your positive viral test (based on the date you were tested) and day 1 is the first full day after your positive test. If you develop symptoms after testing positive, your 10-day isolation period must start over. Day 0 is your first day of symptoms. Day 1 is the first full day after your symptoms developed.